


Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico -
График грузоподъёмности



- ① Pluma maxima - Portée maxi - Sbraccio massimo - Maximum jib - Max. Ausleger
 ② Pluma min. en servicio - Portée min. in service - Minimum jib (in service) - Sbraccio min. in servizio - Mindest. Ausleger in Betrieb
 ③ Pluma min. fuera de servicio - Portée min. hors service - Minimum jib (out of service) - Sbraccio min. fuori servizio - Mindest. Ausleger ausser Betrieb
 (H) Altura torre - Hauteur mat - Tower height - Altezza torre - Turmhohe

65 m



10	15	20	25	30	33,6	35	40	45	50	55	60	65	m
24000	24000	24000	24000	24000	24000	22683	18549	15352	12805	10726	8995	7500	Kg
10	15	20	22	25	30	35	40	45	50	55	60	65	m
36000	36000	36000	36000	36000	28139	22583	18449	15252	12705	10626	8895	7400	Kg

60 m



10	15	20	25	30	33,3	35	40	45	50	55	60	m
24000	24000	24000	24000	24000	24000	22445	18412	15293	12806	10776	9000	Kg
10	15	20	24,7	25	30	35	40	45	50	55	60	m
36000	36000	36000	36000	35439	27764	22345	18312	15193	12706	10676	8900	Kg

55 m



10	15	20	25	30	33,5	35	40	45	50	55	m
24000	24000	24000	24000	24000	24000	22658	18685	15612	13160	11000	Kg
10	15	20	24,7	25	30	35	40	45	50	55	m
36000	36000	36000	36000	35457	27897	22558	18585	15512	13060	10900	Kg

50 m



10	15	20	25	30	33,6	35	40	45	50	m
24000	24000	24000	24000	24000	24000	22762	18830	15786	13100	Kg
10	15	20	24,6	25	30	35	40	45	50	m
36000	36000	36000	36000	35427	27946	22662	18730	15686	13000	Kg

45 m



10	15	20	25	30	33,1	35	40	45	m
24000	24000	24000	24000	24000	24000	22280	18456	15100	Kg
10	15	20	24,3	25	30	35	40	45	m
36000	36000	36000	36000	34773	27471	22312	18471	15100	Kg

40 m



10	15	20	25	30	31,3	35	40	m
24000	24000	24000	24000	24000	24000	20644	16500	Kg
10	15	20	22,9	25	30	35	40	m
36000	36000	36000	36000	32301	25481	20661	16500	Kg

35 m




10	15	18	25	30	32,9	35	m
24000	24000	24000	24000	24000	24000	21200	Kg
10	15	20	24	25	30	35	m
36000	36000	36000	36000	34232	27132	21200	Kg

30 m




10	15	18	25	25	30	m
24000	24000	24000	24000	24000	24000	Kg
10	15	20	23,8	25	30	m
36000	36000	36000	36000	33941	25500	Kg


FEM 1001 / FEM 1004-C25 / EN 14439 - Mástil / Masts / Maste / Mat / Torre / Torre /
Комплектация башни



A



B




C

	max. H(m)	
	FEM 1004 C25	FEM 1001
30	54,40	60,40
35	54,40	60,40
40	54,40	60,40
45	48,40	54,40
50	48,40	54,40
55	48,40	54,40
60	42,40	48,40
65	42,40	48,40


	max. H(m)	
	FEM 1004 C25	FEM 1001
30	56,00	62,00
35	56,00	62,00
40	50,00	56,00
45	50,00	56,00
50	50,00	56,00
55	44,00	50,00
60	44,00	50,00
65	44,00	44,00

	max. H(m)	
	FEM 1004 C25	FEM 1001
30	56,10	62,10
35	56,10	62,10
40	50,10	56,10
45	50,10	56,10
50	50,10	56,10
55	44,10	50,10
60	44,10	50,10
65	44,10	44,10




A

	max. H(m)	
	FEM 1004 C25	FEM 1001
30	66,40	72,40
35	66,40	72,40
40	66,40	72,40
45	60,40	66,40
50	60,40	66,40
55	60,40	66,40
60	54,40	60,40
65	54,40	60,40



B

	max. H(m)	
	FEM 1004 C25	FEM 1001
30	68,00	74,00
35	68,00	74,00
40	62,00	68,00
45	62,00	68,00
50	62,00	68,00
55	56,00	62,00
60	56,00	62,00
65	56,00	56,00



C

	max. H(m)	
	FEM 1004 C25	FEM 1001
30	68,10	74,10
35	68,10	74,10
40	62,10	68,10
45	62,10	68,10
50	62,10	68,10
55	56,10	62,10
60	56,10	62,10
65	56,10	56,10

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

167 Hp (123Kw)-INV							
		H.B.G 400Mts Ø26			H.B.G 265Mts Ø26		
	m/min	0→21	0→31	0→42	0→14	0→16,5	0→27,5
	Kg	24000	16000	12000	36000	30000	18000
	Kw	123	123	123	123	123	123

		 -  -  2,3 min. de 15° a 85° 2,3 minutes from 15° to 85°
	Kw	93
	r.p.m	0→0,72
	Kw	2 x 21,1
	m/min	
	Kw	


 2000/14/CEE 2005/88/CEE	 2006/95 /CEE	400 V 50 Hz 60 Hz	100m 4x120mm ²
---	---	-------------------------	------------------------------

550 kVA	250 KW
---------	--------

 Consultarnos-Consultateci-Consult us-Nous consulter-Auf anfrage


-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Elevación de pluma / Luffing / Ausleger-Einziehen / Relevage / Brandeggio
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Traslacion / Travelling / Schienenfahren / Translation / Traslazione
-  Cable / Rope / Seil / Câble / Fune

Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico -
Процесс наращивания крана



"U"
S 2326

	D1 min/max	D2 min/max	D3 max
30m	36m/48m	18m/24m	36
35m	36m/48m	18m/24m	36
40m	36m/48m	18m/24m	36
45m	30m/42m	18m/24m	30
50m	30m/42m	18m/24m	30
55m	30m/42m	18m/24m	30
60m	36m/36m	18m/24m	24
65m	36m/36m	18m/24m	24
















	C (mts)	H (mts)
30m 35m 40m	14	48
	16	
	18	
	21	
45m	14	42
	16	
	18	
	21	
50m 55m 60m 65m	14	42
	16	
	18	
	21	








x (mts)	3
y (mts)	2.5





① Consultarnos-Consultateci-Consult us-Nous consulter-Auf anfrage

Dimensiones y transporte - dimensions and transport - Abmessungen und Transport -
dimensions et des transports - dimensioni e trasporti - Размеры и транспорта

	L(m)	W(m)	H(m)	Peso(Kg)	
Pluma tramo primero / Jib heel section / Ausleger-Anlenkstück / Pied de fleche / Settore articolato di braccio /		10.4	2.17	2.16	5100
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		10.37	2.12	2.16	2600
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		10.37	2.12	2.16	2410
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		10.37	2.12	2.16	2215
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		10.37	2.12	2.16	2125
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		5.27	2.12	2.16	1025
Elemento intermedio de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		5.27	2.12	2.16	1025
Elemento final de pluma / Intermediate jib section / Ausleger-Zwischenstück Elément interm. de fleche / Spezzone di braccio /		5.31	2.12	2.16	1310

	L(m)	W(m)	H(m)	Peso(Kg)
Contrapluma / Counter-jib / Gegenausleger / Contre-fleche / Controbraccio 	8.00	2.40	2.30	6315
Unidad de rotacion / Complete slewing unit / Drehbühne / Orientation / Rotazione 	7.30	4.84	4.40	18195
Giratorio / Slewing / Drehbühne / Plateforme tournante/ Cavalletto piattaforma girevole / 	3.1	2.32	4.40	11950
Caballete / Frame / Bock / Chevalet / Cavalletto / Cavalete / 	2.4	2.3	2.8	3210
Plataforma de giro / Slewing platform / Drehbühne / Plateforme tournante / Cavalletto piattaforma girevole / 	3.1	2.32	1.99	8740
Cabina y soporte / Cabin and platform / Kabine und wartungs / Cabine et support / Cabina e supporto / 	7.59	1.82	2.32	3035

	L(m)	W(m)	H(m)	Peso(Kg)											
Caballette de pluma / Jib gantry / Auslegerabspannbock / Chevalet de haubange de flèche/ Tirante braccio / 	16.8	2.12	1.91	9420											
Equipo de elevacion / Hoist winch / Heben / Levage / Sollevamento / 	2.8	2.25	1.61	5950											
Equipo de Pluma abatible / Luffing winch / Einziehwerk / Relevage / Brandeggio 	2.8	2.21	1.60	4850											
Gancho Inferior / Lower Hook / Den unteren Haken / Crochet inférieure/ Gancio inferiore / 	1.70	0.51	1.52	649											
Gancho Superior / Upper Hook / Oberen Haken / Crochet supérieur / Gancio superiore/ 	1.17	0.31	0.86	550											
Elemento de torre S23 / Tower section S23 / Turmstück S23 / Élément de mât S23 / Elemento di torre S23 / 	U	6	2.31	2.34	6198										
Elemento de empotre / Foundation anchor / Fundamentanker / Pieds de scellement El annegare / 	S75R16/22	0.5	0.5	2	2840	S75R16/26	0.5	0.5	2.4	3160	DIMA	2.31	2.34	0.8	1650
Marco trepado externo / Tie-frame / Cadre d´encrage externe / Sopralzo con ancoraggio esterno / 	3.52	3.49	0.42	3900											

					L(m)	W(m)	H(m)	Peso(Kg)	
Jaula de telescopaje tipo S23 / Climbing cage type S23 / Hydraulikbühne Cage de telescopage type S23 / Gabbia di montaggio S23 /									
Completa / Full / Vollständige/Complete / completa / 					11.6	3.2	3.3	13500	
Estructura / Steel frame / Struktur/ Construction / Struttura /								9550	
Hidraulico y accesorios /Hydraulic and accessories/ Hydraulik-und Zubehör hydraulique et accessoires / idrauliche ed accessori /								3950	
Marco trepado externo / Tie-frame / Cadre d'encrage externe / Sopralzo con ancoraggio esterno / 					3.52	3.49	0.42	3900	
Marco trepado interno S23 / Floor climbing frame/Cadre d'encrage interne /Sopralzo interno 					3.2	2.8	0.6	4720	
Hidraulico y accesorios /Hydraulic and accessories/ Hydraulik-und Zubehör hydraulique et accessoires / idrauliche ed accessori /								3081	
Tramo trep. A S23 / Tower section A S23 / Turmstück A S23 / Élément de mât A S23 / Elemento di torre a S23 / 					A	6	2.27	2.29	4854
Tramo trep. B S23 / Tower section B S23 / Turmstück B S23 / Élément de mât B S23 / Elemento di torre B S23 / 					B	6	2.27	2.29	4850


40" HC x 14 - HBG 36 mt

x 14 - HBG 36 mt